25 YEARS 1996-2021

AXA HOME SECURITY

Together for 25 years!

2021
product catalogue

AXA Home Security is a Polish manufacturer with over 25 years of experience, strong reputation and international support in product development. Over the years of our activity, we have developed a strong position in the field of burglary protection, at the same time letting ourselves be known as a **trusted and flexible partner**.

As a professional in your industry you look for good, fast and, most of all, reliable solutions. We provide you with these solutions as specialists with experience in the field of door security. A team of specialists develops, produces and launches AXA quality products every day. **We make sure that this quality is synonymous with our products for years to come.**

Our quality is reflected in the materials used, the finishing touches and service life of our products. However, it is also reflected in **timely delivery, extensive technical documentation, marketing communication and our employees' expertise.**

Safety is the priority at AXA. Burglar-proof products are an important part of our product range, as they not only increase the feeling of safety in and around the home, but also guarantee a safety of use, operation and installation.

We care about comfort of AXA product operation for the benefit of both end customers and professional installers. We know that product quality is often determined by its correct installation, so we attach particular importance to clarity and intuitiveness of our installation instructions and additional, standardised fastening materials, which **guarantees fast and trouble-free installation.**

AXA HOME&SECURITY

2 Introduction

4 Safety
4 Security acceptance criteria
5 Fittings – differentiating features
5 Design
6 Certificates and standards
6 Overview of screws and pins
6 Additional accessories
7 Marketing support
8 Door handle power-assist feature
9 Correct installation of fittings
10 AXA Flex Premium series
11 Flex
12 Black
13 Single colour concept
13 Complete AXA NL door and window fitting range

14 Basic safety class and safety class 1

16 Ceres
18 Fast Premium
20 Slim Plus
22 Niagara Plus / Niagara
24 Haga++ / Haga
26 Manitoba Plus

28 Safety class 3

30 Diva
32 Diva Flex
34 Odin
36 Odin Flex
38 Quebec
40 Quebec Flex
42 Prestige
44 Prestige Flex
46 Royal
48 Royal Flex
50 Apollo Flex Premium
52 Jupiter Flex Premium
54 Arrow Flex Premium
56 Solid Flex Premium
58 Diana Premium
60 Diana Flex Premium
62 Mars Premium
64 Mars Flex Premium

66 Safety class 4

68 Toronto Flex
70 Vermont Flex

72 Pull handles

75 Pull handle characteristics
78 Dubaj
80 Szanghaj
82 Montreal – straight
84 Montreal – skew
86 Montreal – bent
88 Amsterdam – straight
90 Amsterdam – skew
92 Pull handle dedicated fittings
95 Technical drawings – pull handle dedicated fittings

96 Other products

98 Rigid chain
99 Digital door peepholes
99 Door peepholes
100 Glazing frames
101 Master Key system
102 Door fenders
103 Hinge guards
104 Nuki Smart Lock
106 Lock cylinders
108 Single cylinders
110 Door closers
112 AXA Remote 2.0
113 Surface-mounted Anti-panic System

118 Additional Information

120 About the company
122 General terms and conditions of sales for contracts concluded with entrepreneurs
125 Door fitting warranty for entrepreneurs
126 Technical drawings – door handles
135 Technical drawings – pull handles

photo: Mars Flex handle+knob and handle+handle; AXA Stenman plant in Poland, Zawiercie, AXA©.

AXA fittings are made from solid aluminium profiles, which makes them naturally more resistant to weather conditions, scratches and corrosion; photo: AXA©.

01

INTRODUCTION

- What is version ++?
- What is Flex?
- What are the differentiating features of the AXA Flex Premium series fittings?
- Why are integrated door handles more reliable?

Overview of screws and pins

Security acceptance criteria (security classes)

Safety

Our products come in three safety classes:

Safety class 1

Products in this class are covered with a 2-year warranty. They are available in the standard version, without cylinder protection. The power-assist feature is provided in the inner escutcheon plate – applies to **Plus** and **++ versions (integrated handles).**

Safety class 3

Products in this class are available in the **standard version,** as well as in **Flex** version with cylinder protection. The power-assist feature is provided in the grip (**Premium** version) or in the inner escutcheon plate (**++ version** – available soon).

Flex fittings come with fire protection certificates.

Safety class 4

Class 4 is the highest security class available in Poland. The fitting comes with a 3 mm thick steel plate over the entire outer escutcheon plate length. The fitting is available in the Flex version with cylinder protection.

Security acceptance criteria

Parameters for security lock fittings for doors*

Specification	Class 1	Class 2	Class 3	Class 4
Design requirements	yes	yes	yes	yes
Disc strength				
Power ± 50 N	7 kN	10 kN	15 kN	20 kN
Maximum deflection	5 mm	5 mm	5 mm	5 mm
Fastener strength				
Power $_{0}^{+5}$ %	10 kN	15 kN	20 kN	30 kN
Initial load ± 50 N	500 N	500 N	500 N	500 N
Maximum strain	2 mm	2 mm	2 mm	2 mm
Drilling resistance				
Test duration	no	> 30 s	> 3 min	> 5 min
Axial power $_{0}^{+5}$ %	no	200 N	200 N	300 N
Cutter-attack resistance				
Long disc impact points	no	1, 2	1, 3, 4	1, 2, 3, 4, 5
Short disc impact points	no	1, 2	1, 3, 4	1, 2, 3, 4
Keyhole disc (see A.3.6.2)	*	*	*	*
Number of pendulum hits	no	3	6	12
Cylinder protection plate strength (if installed)				
Power $_{0}^{+5}$ %	no	10 kN	15 kN	20 kN

* PN 1906: 2012 – Building hardware – Lever handles and knob furniture – Requirements and test methods.



Colouring with the anodic oxidation method ensures longer product life; photo: AXA©.

What are the differentiating features of our fittings?

our products are manufactured in Poland – “Polish Manufacturer”

fittings are made of solid aluminium profiles coloured by with the anodic oxidation method (coating with an aluminium oxide layer, min. thickness 12 microns), thanks to which they are more resistant to corrosion, weather conditions and scratching

enhanced aesthetics

well thought-out design: fittings without sharp edges

various spacings on offer: 72, 90, 92

available in 6 colour versions:

F1 – Silver | F3 – Golden | F4 – Old Gold | F6 – Inox | F8 – Black | F9 – Titanium

Design

A simple yet elegant and timeless design, ergonomic shape of handles, knobs and pushers, unique decorative surface grinding, rosettes, available for each of the product lines on offer.

AXA offers a wide range products, thanks to which you can easily match fittings to your own taste and interior design; photo: AXA©.



Certificates and standards

Products and systems certified as per European standards:

EN 1906
EN 1670

* CONSTRUCTION PRODUCT

AXA has a quality management system implemented as per ISO 9001:2015, and confirmed by a certificate TUV Rheinland North America.

Certified to ISO 9001:2015

photo: anodising of rosettes; AXA©.

Overview of screws and pins

for 8-8 mm escutcheon plates

Door thickness	37-42	43-46	47-51	52-53	54-57	58-63	64-66	67-73	74-77	78-83	84-86	87-93
Screw length – 8-8 mm escutcheon plate	50	55	60	65	65	70	1*	80	3*	90	4*	100
Handle+handle – pin length	110	110	110	110	110	120	130	130	130	150	150	150
Handle+pusher – pin length	75	75	75	90	90	90	90	2*	110	110	110	120

for 8-12 mm escutcheon plates

Door thickness	37-42	43-46	47-51	52-53	54-57	58-63	64-66	67-73	74-77	78-83	84-86	87-93
Screw length – 8-12 mm escutcheon plate	50	55	60	65	65	70	80	80	90	90	100	100
Handle+handle – pin length	110	110	110	110	120	120	130	130	150	150	150	150
Handle+pusher – pin length	75	75	75	90	90	90	90	2*	110	110	110	120

Additional accessories

Product	6 cm screws	8 cm screws	9 cm screws	10 cm screws	handle+handle pin, length: 110, 130, 165 mm	handle+knob pin, length: 75, 90, 110, 120 mm	30 mm sleeve
No. of pieces	complete set – 5 pieces	complete set – 5 pieces	complete set – 5 pieces	complete set – 5 pieces	1 piece	1 piece	1 piece

Marketing support

Do you run an on-line shop? Does your site offer a door and fitting configuration feature? Do you opt for good-quality visuals?

Take advantage of our new fitting photo shoot feature.

! New resources to download from axahomesecurity.pl

Professional photo shoot for the AXA standard range

- Images of the outer and inner outer escutcheon plate taken from the front – ideal for use in configuration features and combinations with doors

- Available combinations: handle+handle, handle+pusher/knob, rosettes

- Photos including spacing: 72, 90*, 92
  *in selected models

- Images of single-sided, double-sided and “electro” pull handles, including mounting feet length and spacing

- Images of fittings dedicated to pull handles – installation doubts dispelled

- jpg. and tiff. images - convenient creation of dedicated combinations in Photoshop
  *outside of the standard offer





Standardised technical drawings of door fittings:

including spacing, with separate dimensions for handles, knobs and pushers

180° photos

Best presentation method for fitting finish and shapes; photo component files available for download plus scripts for embedding on servers.

Other marketing support elements:

catalogues

animations

leaflets

display stands

For detailed marketing support terms and conditions contact the marketing department: **axa.marketing@allegion.com**

Door handle power-assist feature

Door handle power-assist systems are standard equipment for most AXA fittings, i.e. Plus, ++ and Premium series, as well as all class 3 fittings.

What are the advantages of these systems?

- Universal right-side / left-side installation
- Can be used with locks with a push-up function / in strip locks
- The Premium power-assist feature retains a handle in a horizontal position in case the door lock spring is defective.
- Assists in lock mechanism operation
- Prolongs the lock life

What are the characteristics of the power-assist systems?

NEW!

	-*	Plus		++		Premium	
	Basic safety class	Basic safety class	Safety class 3	Safety class 1	Safety class 3	Basic safety class	Safety class 3
power-assist	no	yes, within inner escutcheon plate		yes, within inner and outer escutcheon plate		yes, within grip	
handle integrated with escutcheon plate	no	no		**yes**		yes	
warranty	2 years	2 years	5 years	2 years	5 years	2 years	10 years

*applies only to Haga and Niagara models.

! ++ version available in the Haga model (replacing the Haga Plus version). Soon available in other versions!

++ version cross-section

Applies only to Haga++ model.

Premium version cross-section

Premium product range overview on page 10.

AXA ++ product range

! Eventually, the entire range (except for the Premium series) will be available in the ++ version.

Haga



photo: AXA©.



Correct installation of fittings

As a standard, the following elements are included:

- screws, length 90 mm
- pins, length 130 mm, for handle+handle combinations
- pins, length 110 mm for sets with knobs or pushers

Exceptions:

- Kółko&Kwadrat product line (on round and square rosettes)
- screws, length 100 mm (M5 for handle and M6 for rosette)
- pins, length 150 mm, for handle+handle combinations
- pins, length 120 mm for sets with knobs

Premium series (integrated handles)

- 90 mm screws
- 150 mm or 170 mm pin (can be shortened as required)

AXA Flex Premium series product range

streamlined handling

faster installation

reliability

Suitable for left- and right-side doors.

Low deformation at 1000N load > 0.75 mm.

Possible spacing: 72 mm or 92 mm.

3 mounting screws in hardened sleeves, not accessible from the outside.

Additional metal sheet reinforcement for the escutcheon plate.

AXA Premium comes with the AXA-patented **Flex** system.

Cylinder guard designed in hardened steel.

Tested as per EN 1906.

Suitable for door thickness of up to 110 mm.

AXA Flex Premium comes with a significantly thicker and stronger spring, **located in the handle!**

AXA Flex Premium is a class 3 solution and offers security level 3 as per EN 1906 and EN 1670.

Compatible with all types of locks, including 3-point locks.

Rotary disc protecting against compromising the lock by drilling.

Designed for heavy-traffic areas!

Apollo Flex Premium

Jupiter Flex Premium

Arrow Flex Premium

Solid Flex Premium

Fast Premium

Diana Flex Premium

Mars Flex Premium

Diana Premium

Mars Premium

AXA Flex Premium Series products are certified:

POLITIE KEURMERK VEILIG WONEN

EN 1906
EN 1670

SKG®

ITT®

Flex

Did you know that a lock cylinder that is not perfectly matched in length to the door thickness and extends beyond the handle plane by as little as 3 mm poses a real threat to the security of your home?

Flex fittings come with fire protection certificates!
* except for Solid Flex

What is the Flex protection feature?

Flex is a lock cylinder protection feature that adjusts itself to the cylinder length.
If the cylinder protrudes by 9-15 mm from the door, you can easily secure it with a Flex handle.

What makes AXA Home Security Flex handles special?

- They are made of solid, 12-15 mm thick aluminium profiles (external part).
- All handles featuring the Flex system come in security class 3, i.e. high intrusion-proof protection, as per EN 1906.
- They come with a rotary disc protecting against compromising the lock by drilling.
- The cylinder guard is designed in hardened steel.
- Mounting screws are concealed and inaccessible from the outside.
- Screws are placed in steel sleeves that prevent them from being cut.
- Flex handles are come with fire protection certificates and suitable for installation on doors requiring such certificates.



Class 3 with cylinder protection, Flex safety escutcheon plate.

1. Full, solid escutcheon plate
2. Steel, rotary disc protecting against compromising the lock by drilling
3. Steel cylinder protection against pulling out by force
4. Decorative cylinder guard
5. Flex Premium: integrated handle with power-assist feature in the grip*
6. Self-adjusting cylinder protection
7. Steel sleeves protecting against cutting the screws (x3)

Note! An indispensable feature of intrusion-proof fittings for external doors is the absence of mounting screws on the outside of the door.

Designation of intrusion-proof fitting types**:

Standard
intrusion-proof fitting without cylinder protection

Flex
intrusion-proof fitting with spring-loaded cylinder protection
Patented by AXA!

* Integrated handle, with power-assist grip, only available in the Flex Premium range.

** For detailed information on product properties see the national declarations of performance available for download at: www.axasecurity.com/home-security-poland/pl-pl/strefa-pro/certyfikaty

Diva Flex

Odin Flex

Quebec Flex

Prestige Flex

Royal Flex

Apollo Flex Premium

Jupiter Flex Premium

Arrow Flex Premium

Toronto Flex

Diana Flex Premium

Mars Flex Premium

Solid Flex Premium



photo: (clockwise): 1-2. Idea investment project in Gdańsk, where AXA door handles are fitted – Prestige model; 3. black-anodised escutcheon plates, AXA Stenman plant in Poland, Zawiercie; AXA©.

Black

The unique colour of our fittings gives your door an elegant and chic appearance.

All fittings available only with polished finish.

Prestige Flex is the only exception (half polished/half ground).

Prestige Flex

Royal Flex

Royal

Jupiter Flex Premium

Amsterdam – straight & skew

Montreal – straight, skew & bent

Arrow Flex Premium

Apollo Flex Premium

Haga++

Solid Flex Premium

Gaja Solo Plus

Slim Solo Plus

Diana Premium / Flex Premium

Mars Premium / Flex Premium

Ceres Premium

Fast Premium

Cylinder with knob

Hinge guard

Single colour concept

Colour matching for all fittings and door accessories

1. AMSTERDAM straight one-sided pull handle
2. Upper rosette
3. Escutcheon plate
4. Lock cylinder
5. Hinge guards
6. Heavy door fender
7. Decorative frames for door glazing in fitting colour version



Complete AXA NL door and window fitting range

Security product range and wide range of supplementary accessories.
Everything in one place, from one manufacturer.

Door fittings



Window fittings



photo: Spectrum Gdańsk investment project;
Arrow handle with dedicated logo; AXA©.

02

BASIC SAFETY CLASS & SAFETY CLASS 1

Integrated version models –
++ series – are already available!

2-year warranty

2 YEAR WARRANTY

streamlined handling

faster installation

reliability

CERES

F6 handle+handle

F6 rosette



F6 handle+knob



For technical drawings for other spacing values, see page 126.

Basic
safety class

2 YEAR WARRANTY

Standard version

Ceres	F8	F1, F4, F6, F9
handle+handle + WB rosette	✔	✔
handle+knob + WB rosette	✔	✔
WB rosette	✔	✔

Available colours:

F1
Silver

F4
Old Gold



F6
Inox

F8
Black

F9
Titanium



Protection:
Standard

Power-assist:
Within inner escutcheon plate

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:
1. Can be used in strip locks
2. **F3 golden-coloured** fittings available on request in sets of 50 pcs., without additional charge
3. Standard: 150 mm pin for handle, 125 mm for knob, 100 mm screws
4. Fixed knob
5. Also available in the SOLO version for use with pull handle, page 93

FAST PREMIUM

F6 handle+handle

F6 handle+pusher

F6 rosette

F6 long rosette



Basic
safety class

2
YEAR WARRANTY

Standard version

For technical drawings for other spacing values, see page 126.

Fast Premium	F8	F6
handle+handle	✔	✔
handle+pusher	✔	✔
rosette	✔	✔
long rosette	✔	✔

Available colours:

F6
Inox

F8
Black



Protection:
Standard

Power-assist:
In grip – Premium

Spacing:
72, 92 mm

Finish:
Ground

Dedicated to:
External and staircase doors

Integrated door handle:
Yes

Additional information:
1. Can be used in strip and multi-point locks
2. Other colour versions available on request in sets of min. **100 pieces**

Product:
Made in Poland

Restricted design

SLIM PLUS

++ version* available soon.



F6 handle+handle

F6 rosette

F6 handle+pusher



For technical drawings for other spacing values, see page 126.

Basic
safety class

2
YEAR WARRANTY

Standard version

For more information, see page 8.

Slim Plus	F1, F4, F6, F9
handle+handle	✔
handle+pusher	✔
rosette	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F9
Titanium



Protection:
Standard

Power-assist:
Within inner escutcheon plate

Spacing:
72, 92 mm

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:

1. Can be used in strip locks
2. **F8 black-coloured** fittings available on request in sets of **50 pcs.**, with additional charge amounting to 15% of the regular price for each set; **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered
4. Also available in the SOLO version for use with pull handle, page 92

NIAGARA PLUS / NIAGARA

++ version* available soon.

F6 handle+handle

F6 handle+pusher

F6 rosette

F6 long rosette



For technical drawings presenting other spacing values see pages strona 126–127.

Basic safety class

2 YEAR WARRANTY

Standard version

For more information, see page 8.

Niagara	F1, F4, F6, F9
handle+handle	✔
handle+pusher	✔
rosette	✔
long rosette	✔
Niagara Plus	**F1, F4, F6, F9**
handle+handle (power-assist)	✔
handle+pusher (power-assist)	✔
rosette	✔
long rosette	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F9
Titanium

Protection:
Standard

Power-assist:
Within inner escutcheon plate

Spacing:
72, 90*, 92 mm

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:

1. Can be used in strip and multi-point locks
2. **F8 black-coloured** fittings available on request in sets of **50 pcs.**, with additional charge amounting to 15% regular price for each set; **F3 golden-coloured** Niagara and Niagara Plus fittings available on request in sets of **50 pcs.**

* applies only to Niagara Plus

HAGA++ / HAGA

F6 handle+handle

F6 handle+pusher

F6 rosette

F6 long rosette



For technical drawings for other spacing values, see page 127.

Safety class 1*

2 YEAR WARRANTY

Standard version

* applies only to Haga ++

Haga		F1, F4, F6, F9
handle+handle		✔
handle+pusher		✔
rosette		✔
long rosette		✔
Haga Plus (while in stock)	F8	F1, F4, F6, F9
handle+handle (power-assist)	✔	✔
handle+pusher (power-assist)	✔	✔
rosette	✔	✔
long rosette	✔	✔
Haga++	F8	F1, F4, F6, F9
handle+handle (power-assist + integration)	✔	✔
handle+pusher (power-assist + integration)	✔	✔
rosette	✔	✔
long rosette	✔	✔

Available colours:

F1
Silver

F4
Old Gold



F6
Inox

F8
Black



F9
Titanium



Protection:
Standard

Power-assist:
Yes, within inner and outer escutcheon plate*

Integrated door handle:
Yes (applies to ++ version)

Finish:
Ground

Dedicated to:
External and staircase doors

Spacing:
72, 90**, 92 mm

Additional information:
1. Can be used in strip locks
2. **F3 golden-coloured** fittings available in sets of **50 pcs.**, without additional charge

Product:
Made in Poland

* applies only to ++ version

** applies only to Haga Plus and Haga++

MANITOBA PLUS

++ version* available soon.

F6 handle+handle

F6 rosette

F6 handle+pusher



For technical drawings for other spacing values, see page 128.

Basic safety class

2 YEAR WARRANTY

Standard version

For more information, see page 8.

Manitoba Plus	F1, F4, F6, F9
handle+handle	✔
handle+pusher	✔
rosette	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F9
Titanium



Protection:
Standard

Power-assist:
Within inner escutcheon plate

Spacing:
72, 92 mm

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:

1. Can be used in strip locks
2. **F8 black-coloured** fittings available on request in sets of **50 pcs.**, with additional charge amounting to 15% of the regular price for each set; **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered

photo: IDEA Gdańsk estate investment project; black Prestige Flex door handle; AXA©.

03

SAFETY

CLASS 3

Intrusion-proof fittings

Self-adjusting Flex cylinder protection

5 YEAR WARRANTY

10 YEAR WARRANTY

streamlined handling

faster installation

reliability

SAFETY CLASS 3

DIVA

++ version* available soon.

F6 handle+handle

F6 rosette

F6 handle+knob



For technical drawings for other spacing values, see page 128.

Safety class 3

5 YEAR WARRANTY

Standard version

For more information, see page 8.

Diva	F8	F1, F4, F6, F9
handle+handle		✔
handle+knob		✔
rosette		✔
long rosette		✔
movable knob (for each version)	✔	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F9
Titanium

Protection:
Standard

Power-assist:
Within inner escutcheon plate

Spacing:
72, 92 mm

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:
1. Can be used in strip locks
2. **F3 golden-coloured** fittings available on request in sets of **50 pcs.** without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered
4. Also available in the SOLO version for use with pull handle, page 94

DIVA FLEX

++ version* available soon.

F6 handle+handle

F6 rosette

F6 handle+knob



For technical drawings for other spacing values, see page 128.

Safety class 3

Fire protection certificate

10 YEAR WARRANTY

Flex version

For more information, see page 8.

Diva Flex	F1, F4, F6, F9
handle+handle	✔
handle+knob	✔
rosette	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F9
Titanium

Protection:
Flex

Power-assist:
Within inner escutcheon plate

Spacing:
72, 92 mm

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:
1. Can be used in strip locks
2. **F3 golden-coloured** fittings available on request in sets of **50 pcs.** without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered

ODIN

++ version* available soon.

F6 handle+handle

F6 rosette

F6 handle+knob



For technical drawings for other spacing values, see page 129.

Safety class 3

5 YEAR WARRANTY

Standard version

For more information, see page 8.

Odin	F1, F4, F6, F9
handle+handle	✔
handle+knob	✔
rosette	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F9
Titanium

Protection:
Standard

Power-assist:
Within inner escutcheon plate

Spacing:
72, 92 mm

Finish:
Polished

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:

1. Can be used in strip locks
2. **F8 black-coloured** fittings available on request in sets of **50 pcs.**, with additional charge amounting to 15% of the regular price for each set; **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered

ODIN FLEX

++ version* available soon.

F6 handle+handle

F6 rosette

F6 handle+knob



For technical drawings for other spacing values, see page 129.

Safety class 3

Fire protection certificate

10 YEAR WARRANTY

Flex version

For more information, see page 8.

Odin Flex	F1, F4, F6, F9
handle+handle	✔
handle+knob	✔
rosette	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F9
Titanium

Protection:
Flex

Power-assist:
Within inner escutcheon plate

Spacing:
72, 92 mm

Finish:
Polished

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:

1. Can be used in strip locks
2. **F8 black-coloured** fittings available on request in sets of **50 pcs.**, with additional charge amounting to 15% of the regular price for each set; **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered

QUEBEC

++ version* available soon.



F6 handle+handle F6 rosette F6 handle+pusher



For technical drawings for other spacing values, see page 129.

Safety class 3

5 YEAR WARRANTY

Standard version

For more information, see page 8.

Quebec	F1, F4, F6, F9
handle+handle	✔
handle+pusher	✔
rosette	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F9
Titanium



Protection:
Standard

Power-assist:
Within inner escutcheon plate

Spacing:
72, 92 mm

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:

1. Can be used in strip locks
2. **F8 black-coloured** fittings available on request in sets of **50 pcs.**, with additional charge amounting to 15% of the regular price for each set; **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered

QUEBEC FLEX

++ version* available soon.



F6 handle+handle F6 rosette F6 handle+pusher



For technical drawings for other spacing values, see page 130.

Safety class 3

Fire protection certificate

10 YEAR WARRANTY

Flex version

For more information, see page 8.

Quebec Flex	F1, F4, F6, F9
handle+handle	✔
handle+pusher	✔
rosette	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F9
Titanium

Protection:
Flex

Power-assist:
Within inner escutcheon plate

Spacing:
72, 92 mm

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:

1. Can be used in strip locks
2. **F8 black-coloured** fittings available on request in sets of **50 pcs.**, with additional charge amounting to 15% of the regular price for each set; **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered

PRESTIGE

++ version* available soon.

F6 handle+handle

F6 handle+knob

F6 rosette

F6 long rosette



For technical drawings for other spacing values, see page 130.

Safety class 3

5 YEAR WARRANTY

Standard version

For more information, see page 8.

Prestige	F1, F4, F6, F9
handle+handle	✔
handle+knob	✔
rosette	✔
long rosette	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F9
Titanium

Protection:
Standard

Power-assist:
Within inner escutcheon plate

Spacing:
72, 92 mm

Finish:
Semi-polished /
Semi-ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:

1. Can be used in strip locks
2. **F8 black-coloured** fittings available on request in sets of **50 pcs.**, with additional charge amounting to 15% of the regular price for each set; **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge (except for long rosettes)

PRESTIGE FLEX

++ version* available soon.

F6 handle+handle

F6 handle+knob

F6 rosette

F6 long rosette



Safety class 3

10 YEAR WARRANTY

Flex version

Fire protection certificate



F6 knob+knob

For technical drawings presenting other spacing values see pages 130-131.

For more information, see page 8.

Prestige Flex	F6	F8	F1, F3, F4, F6, F9
handle+handle		✔	✔
handle+knob		✔	✔
rosette		✔	✔
long rosette			✔
knob+knob	✔	✔	

Available colours:

F1
Silver

F3
Golden

F4
Old Gold

F6
Inox

F8
Black

F9
Titanium

Protection:
Flex

Power-assist:
Within inner escutcheon plate

Spacing:
72, 90*, 92 mm

Finish:
Semi-polished /
Semi-ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:
1. Can be used in strip locks

* except for F3 colour version

ROYAL

++ version* available soon.



F6 handle+handle

F6 rosette

F6 handle+pusher



For technical drawings for other spacing values, see page 131.

Safety class 3

5 YEAR WARRANTY

Standard version

For more information, see page 8.

Royal	F8	F1, F4, F6, F9
handle+handle	✔	✔
handle+pusher	✔	✔
rosette	✔	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F8
Black

F9
Titanium

Protection:
Standard

Power-assist:
Within inner escutcheon plate

Spacing:
72, 92 mm

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:
1. Can be used in strip locks
2. **F3 golden-coloured** fittings available on request in sets of **50 pcs.** without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered

ROYAL FLEX

++ version* available soon.

F6 handle+handle

F6 rosette

F6 handle+pusher



For technical drawings for other spacing values, see page 131.

Safety class 3

Fire protection certificate

10 YEAR WARRANTY

Flex version

For more information, see page 8.

Royal Flex	F8	F1, F4, F6, F9
handle+handle	✔	✔
handle+pusher	✔	✔
rosette	✔	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F8
Black

F9
Titanium

Protection:
Flex

Power-assist:
Within inner escutcheon plate

Spacing:
72, 92 mm

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:
1. Can be used in strip locks
2. **F3 golden-coloured** fittings available on request in sets of **50 pcs.** without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered
4. Also available in the SOLO version for use with pull handle, page 94

APOLLO FLEX PREMIUM

F6 handle+handle

F6 rosette

F6 handle+pusher



Safety class 3

Fire protection certificate

10 YEAR WARRANTY

Flex Premium version

For technical drawings for other spacing values, see page 132.

Apollo Flex Premium	F8	F1, F4, F6, F9
handle+handle	✔	✔
handle+pusher	✔	✔
rosette	✔	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F8
Black

F9
Titanium

Protection:
Flex

Dedicated to:
External and staircase doors

Product:
Made in Poland

Finish:
Ground

Integrated door handle:
Yes

Faster installation

Power-assist:
In grip – Premium

Spacing:
72, 92 mm

Easier to use

Additional information:

1. Can be used in strip locks
2. **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered

Reliable

JUPITER FLEX PREMIUM

F6 handle+handle

F6 rosette

F6 handle+pusher



Safety class 3

Fire protection certificate

10 YEAR WARRANTY

Flex Premium version

For technical drawings for other spacing values, see page 132.

Jupiter Flex Premium	F8	F1, F4, F6, F9
handle+handle	✔	✔
handle+pusher	✔	✔
rosette	✔	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F8
Black

F9
Titanium

Protection:
Flex

Finish:
Ground

Power-assist:
In grip – Premium

Dedicated to:
External and staircase doors

Integrated door handle:
Yes

Spacing:
72, 92 mm

Product:
Made in Poland

Faster installation

Easier to use

Reliable

Additional information:

1. Can be used in strip locks
2. **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered

ARROW FLEX PREMIUM

F6 handle+handle

F6 rosette

F6 handle+pusher



Safety class 3

Fire protection certificate

Flex Premium version

For technical drawings for other spacing values, see page 132.

Arrow Flex Premium	F8	F1, F4, F6, F9
handle+handle	✔	✔
handle+pusher	✔	✔
rosette	✔	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F8
Black

F9
Titanium

Protection:
Flex

Finish:
Ground

Power-assist:
In grip – Premium

Dedicated to:
External and staircase doors

Integrated door handle:
Yes

Spacing:
72, 92 mm

Additional information:

1. Can be used in strip locks
2. **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered

Product:
Made in Poland

Faster installation

Easier to use

Reliable

Restricted design

SOLID FLEX PREMIUM

F6 handle+handle

F6 rosette

F6 handle+pusher



Safety class 3

10 YEAR WARRANTY

Flex Premium version

For technical drawings for other spacing values, see page 133.

Solid Flex Premium	F8	F1, F4, F6, F9
handle+handle	✔	✔
handle+pusher	✔	✔
rosette	✔	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F8
Black

F9
Titanium

Protection:
Flex

Finish:
Ground

Power-assist:
In grip – Premium

Dedicated to:
External and staircase doors

Integrated door handle:
Yes

Spacing:
72, 92 mm

Product:
Made in Poland

Faster installation

Easier to use

Reliable

Additional information:

1. Can be used in strip locks
2. **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered
4. Also available in the SOLO version for use with pull handle, page 94

DIANA
PREMIUM



F6 handle+handle



F6 rosette

F6 handle+knob



For technical drawings for other spacing values, see page 133.

Safety class 3

Fire protection certificate

10 YEAR WARRANTY

Premium version

Diana Premium	F8	F1, F4, F6, F9
handle+handle + WB rosette	✔	✔
handle+knob + WB rosette	✔	✔
WB rosette	✔	✔

Available colours:

F1
Silver



F4
Old Gold



F6
Inox



F8
Black

F9
Titanium



Protection:
Standard

Dedicated to:
External and staircase doors

Product:
Made in Poland

Finish:
Ground

Integrated door handle:
Yes

Faster installation

Power-assist:
In grip – Premium

Spacing:
72, 92 mm

Easier to use

Additional information:

1. Can be used in strip locks
2. **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. Standard: 150 mm (floating) pin for handle, 125 mm for knob, 100 mm screws
4. Fixed knob

Reliable

DIANA FLEX PREMIUM



F6 handle+handle

F6 rosette



F6 handle+knob



For technical drawings for other spacing values, see page 133.

Safety class 3

Fire protection certificate

10 YEAR WARRANTY

Flex Premium version

Diana Flex Premium	F8	F1, F4, F6, F9
handle+handle + WB rosette	✔	✔
handle+knob + WB rosette	✔	✔
WB rosette	✔	✔

Available colours:

F1
Silver

F4
Old Gold



F6
Inox

F8
Black

F9
Titanium

Rosette: 15 mm

Protection:
Flex

Dedicated to:
External and staircase doors

Product:
Made in Poland

Finish:
Ground

Integrated door handle:
Yes

Faster installation

Power-assist:
In grip – Premium

Spacing:
72, 92 mm

Easier to use

Additional information:

1. Can be used in strip locks
2. **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. Standard: 150 mm (floating) pin for handle, 125 mm for knob, 100 mm screws
4. Fixed knob
5. Also available in the SOLO version for use with pull handle, page 93

Reliable

MARS
PREMIUM



F6 handle+handle



F6 handle+knob

F6 rosette



For technical drawings for other spacing values, see page 133.

Safety class 3

Fire protection certificate

10 YEAR WARRANTY

Premium version

Mars Premium	F8	F1, F4, F6, F9
handle+handle + WB rosette	✔	✔
handle+knob + WB rosette	✔	✔
WB rosette	✔	✔

Available colours:

F1
Silver

F4
Old Gold



F6
Inox

F8
Black

F9
Titanium

Protection:
Standard

Finish:
Ground

Power-assist:
In grip – Premium

Dedicated to:
External and staircase doors

Integrated door handle:
Yes

Spacing:
72, 92 mm

Product:
Made in Poland

Faster installation

Easier to use

Reliable

Additional information:

1. Can be used in strip locks
2. **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. Standard: 150 mm (floating) pin for handle, 125 mm for knob, 100 mm screws
4. Fixed knob

MARS FLEX PREMIUM

F6 handle+handle

F6 rosette

F6 handle+knob



For technical drawings for other spacing values, see page 133.

Safety class 3

Fire protection certificate

10 YEAR WARRANTY

Flex Premium version

Mars Flex Premium	F8	F1, F4, F6, F9
handle+handle + WB rosette	✔	✔
handle+knob + WB rosette	✔	✔
WB rosette	✔	✔

Available colours:

F1
Silver

F4
Old Gold



F6
Inox

F8
Black

F9
Titanium



Rosette: 15 mm

Protection:
Flex

Finish:
Ground

Power-assist:
In grip – Premium

Dedicated to:
External and staircase doors

Integrated door handle:
Yes

Spacing:
72, 92 mm

Product:
Made in Poland

Faster installation

Easier to use

Reliable

Additional information:

1. Can be used in strip locks
2. **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. Standard: 150 mm (floating) pin for handle, 125 mm for knob, 100 mm screws
4. Fixed knob
5. Also available in the SOLO version for use with pull handle, page 93.

SAFETY

CLASS 4

photo: Rajska 8 Gdańsk investment project;
Quebec Flex door handle with a dedicated logo; AXA©.

04

Highest safety class

Escutcheon plate reinforced
with additional hardened sheet metal

5 YEAR WARRANTY

streamlined handling

faster installation

reliability

SAFETY CLASS 4

TORONTO FLEX

F6 handle+handle

F6 rosette

F6 handle+pusher



Safety class 4

5 YEAR WARRANTY

For technical drawings for other spacing values, see page 134.

Toronto Flex	F1, F4, F6, F9
handle+handle	✔
handle+pusher	✔
rosette	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F9
Titanium

15 mm escutcheon plate reinforced with additional hardened sheet metal!

Protection:
Flex

Power-assist:
Within inner escutcheon plate

Spacing:
72, 92 mm

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:

1. Can be used in strip locks
2. **F8 black-coloured** fittings available on request in sets of **50 pcs.**, with additional charge amounting to 15% of the regular price for each set; **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered

VERMONT FLEX

F6 handle+handle

F6 rosette



For technical drawings for other spacing values, see page 134.

Safety class 4

5 YEAR WARRANTY

Flex version

Vermont Flex	F1, F4, F6, F9
handle+handle	✔
rosette	✔

Available colours:

F1
Silver

F4
Old Gold

F6
Inox

F9
Titanium

15 mm escutcheon plate reinforced with additional hardened sheet metal!

Protection:
Flex

Power-assist:
Within inner escutcheon plate

Spacing:
72, 92 mm

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:

1. Can be used in strip locks
2. **F8 black-coloured** fittings available on request in sets of **50 pcs.**, with additional charge amounting to 15% of the regular price for each set; **F3 golden-coloured** fittings available on request in sets of **50 pcs.**, without additional charge
3. **90 mm spacing** when at least **50 complete sets** are ordered

PULL HANDLES

photo: Montreal pull handle (skew) application visualisation; AXA©.

05

2 installation methods

one-sided pin in fittings

6 lengths

termo

dedicated fittings

electro-button

5 colours

engraved

warranty

various shapes

NEW

GET TO KNOW OUR TWO-METRE-LONG

DUBAJ and SZANGHAJ pull handles

Dubaj and Shanghai are new products in AXA's range – two-metre-long pull handles featuring an original installation method facilitating their shortening and perfect adjustment to your door or glazing height!

A unique way of fixing the mounting posts, i.e. masking the cuts, allows to maintain the pusher aesthetics and its original look.

Available in two colour versions plus versions for wooden, steel, aluminium and PVC doors.

F6 Inox

F8 Black

perfect fit

interesting design

easy installation

PULL HANDLES

Pull handle characteristics

Pull handles for every door

Mounted from the outside:

1. Montreal one-sided skew pull handle, straight-through mounting method
2. Upper rosette in safety class 3 with Flex cylinder protection
3. Escutcheon plate in safety class 3 with Flex cylinder protection

Mounted from the inside:

4. Pull handle mounting
5. Upper rosette
6. Single-sided handle with escutcheon plate
7. Pull handle mounting

2 pull handle installation methods

We offer various fastenings facilitating pull handle appearance and functionality adjustment.

They can be mounted with a screw or using the straight-through mounting method, with a "turbo" screw, rivet nut or TERMO sleeve.

Both single-sided and two-sided pull handles can be mounted using these methods.

Electronic push-button

Extremely convenient and functional – a door can be opened automatically using a button provided on the inside of a pull handle.

Single-sided installation



Two-sided installation



MC pin – patented by AXA!

The pin is designed in such a way that when its two parts are pulled apart, inserted into the lock hole and released, the pin locks into the clamping follower.



Comparison of properties of aluminium and stainless-steel pull handles

Stainless-steel pull handles

- risk of stains caused by various acids present in atmospheric precipitation
- coating susceptible to surface contamination and fingerprint stains
- lack of thermal insulation
- all impacts and mechanical damage visible on the surface
- visually unattractive design

Aluminium pull handle

- surface resistant to outdoor factors
- coating protecting against handprint stains
- very good thermal insulation when used with the TERMO* solution
- surface considerably more resistant to impact-related damage
- attractive design, robust appearance

Patented TERMO* solution

More than 7 times lower heat losses with the patented TERMO solution!
A thermal imaging camera test conducted at room temperature of 25°C and outdoor temperature of -5°C yielded the following results:

9,2°C
Pull handle with
a standard sleeve

22,6°C
Pull handle with
a thermal insulation sleeve

* for a surcharge.

Various shapes

You can adjust a pull handle to any shape* to emphasise the unique character of your door.



Such factors as a rich selection of shapes, multitude of available colours, possibility to choose a mounting method and availability of mounting sets for all types of doors ensure that the AXA Home pusher range is perfectly tailored individual customers' tastes and meets door manufacturers' requirements; photo: AXA©.

* for orders of at least 50 pieces.

DUBAJ

NEW





Dubaj	F8	F6
for wood	✔	✔
straight-through mounting method	✔	✔
for aluminium	✔	✔
to PVC	✔	✔

Additional posts	F8	F6
for wood	✔	✔
straight-through mounting method	✔	✔
for aluminium	✔	✔
to PVC	✔	✔

- installation elements with TERMO function as standard

Available colours:

F6
Inox

F8
Black

Length:
up to 200 cm

Mounting post spacing:

Length (cm)	200
Spacing (cm)	198

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

NEW

SZANGHAJ

NEW





Szanghaj	F8	F6
for wood	✔	✔
straight-through mounting method	✔	✔
for aluminium	✔	✔
to PVC	✔	✔

Additional posts	F8	F6
for wood	✔	✔
straight-through mounting method	✔	✔
for aluminium	✔	✔
to PVC	✔	✔

- installation elements with TERMO function as standard

Available colours:

F6
Inox

F8
Black

Length:
up to 200 cm

Mounting post spacing:

Length (cm)	200
Spacing (cm)	198

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

NEW

MONTREAL – STRAIGHT

50 cm, F6 | 80 cm, F6 | 100 cm, F6 | 120 cm, F6 | 150 cm, F6 | 170 cm, F6



For technical drawings presenting other length values, see page 135.

installed with wood screws		50 cm	80 cm	100 cm	120 cm	150 cm	170 cm
F1 F4 F6 F9	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔
F8	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔

- mounting elements for aluminium doors fastened with rivet nuts*
- mounting elements for PVC doors fastened with “turbo” screws*

Straight-through mounting method		50 cm	80 cm	100 cm	120 cm	150 cm	170 cm
F1 F4 F6 F9	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔
F8	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔

- mounting elements with Termo function*

* ask for price.

Available colours:

F1 Silver | F4 Old Gold | F6 Inox | F8 Black | F9 Titanium



Length:
50, 80, 100, 120, 150, 170 cm

Mounting post spacing:

Length (cm)	50	80	100	120	150	170
Spacing (cm)	30	50	50	80	99,8	99,8

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:

1. Installation spacing depends on pull handle dimensions.
   The spacing shown in the drawing applies to 100 cm long pull handles.
   Other dimensions specified in the table above.
2. **F3 golden-coloured** Montreal pull handles available on request in sets of **50 pcs.** without additional charge
3. Thermal insulation mounting – for a surcharge. Ask for price.

MONTREAL – SKEW

50 cm, F6 | 80 cm, F6 | 100 cm, F6 | 120 cm, F6 | 150 cm, F6 | 170 cm, F6

For technical drawings presenting other length values, see page 135.

installed with wood screws		50 cm	80 cm	100 cm	120 cm	150 cm	170 cm
F1 F4 F6 F9	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔
F8	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔

- mounting elements for aluminium doors fastened with rivet nuts*
- mounting elements for PVC doors fastened with “turbo” screws*

Straight-through mounting method		50 cm	80 cm	100 cm	120 cm	150 cm	170 cm
F1 F4 F6 F9	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔
F8	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔

- mounting elements with Termo function*

* ask for price.

Available colours:

F1 Silver | F4 Old Gold | F6 Inox | F8 Black | F9 Titanium

Length:
50, 80, 100, 120, 150, 170 cm

Mounting post spacing:

Length (cm)	50	80	100	120	150	170
Spacing (cm)	30	50	50	80	99,8	99,8

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:

1. Installation spacing depends on pull handle dimensions.
   The spacing shown in the drawing applies to 100 cm long pull handles.
   Other dimensions specified in the table above.
2. **F3 golden-coloured** Montreal pull handles available on request in sets of **50 pcs.** without additional charge
3. Thermal insulation mounting – for a surcharge. Ask for price.

MONTREAL – BENT



For technical drawings presenting other length values, see pages 135-136.

installed with wood screws		80 cm	100 cm	120 cm	150 cm	170 cm
F1 F4 F6 F9	1-sided	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔
F8	1-sided	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔

- mounting elements for aluminium doors fastened with rivet nuts*
- mounting elements for PVC doors fastened with “turbo” screws*

Straight-through mounting method		80 cm	100 cm	120 cm	150 cm	170 cm
F1 F4 F6 F9	1-sided	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔
F8	1-sided	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔

- mounting elements with Termo function*

* ask for price.

Available colours:

F1 Silver | F4 Old Gold | F6 Inox | F8 Black | F9 Titanium

Length:
80, 100, 120, 150, 170 cm

Mounting post spacing:

Length (cm)	80	100	120	150	170
Spacing (cm)	50	50	80	99,8	99,8
Bending radius (cm)	120	120	120	150	170

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:

1. Installation spacing depends on pull handle dimensions.
   The spacing shown in the drawing applies to 100 cm long pull handles.
   Other dimensions specified in the table above.
2. The bending radius can be customised, however, its minimum size is 120 cm
   (available on request in sets of **50 pcs.** without additional charge).
3. F**3 golden-coloured** Montreal pull handles available on request in sets of **50 pcs.** without additional charge
4. Thermal insulation mounting – for a surcharge. Ask for price.

AMSTERDAM – STRAIGHT



For technical drawings presenting other length values, see page 136.

installed with wood screws		50 cm	80 cm	100 cm	120 cm	150 cm	170 cm
F1 F4 F6 F9	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔
F8	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔

- mounting elements for aluminium doors fastened with rivet nuts*
- mounting elements for PVC doors fastened with “turbo” screws*

Straight-through mounting method		50 cm	80 cm	100 cm	120 cm	150 cm	170 cm
F1 F4 F6 F9	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔
F8	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔

- mounting elements with Termo function*

* ask for price.

Available colours:

F1 Silver | F4 Old Gold | F6 Inox | F8 Black | F9 Titanium

Length:
50, 80, 100, 120, 150, 170 cm

Mounting post spacing:

Length (cm)	50	80	100	120	150	170
Spacing (cm)	30	50	50	80	99,8	99,8

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:

1. Installation spacing depends on pull handle dimensions.
   The spacing shown in the drawing applies to 100 cm long pull handles.
   Other dimensions specified in the table above.
2. **F3 golden-coloured** door handles available on request in sets of **50 pcs.** without additional charge
3. Thermal insulation mounting – for a surcharge. Ask for price.

AMSTERDAM – SKEW



For technical drawings presenting other length values, see page 136.

installed with wood screws		50 cm	80 cm	100 cm	120 cm	150 cm	170 cm
F1 F4 F6 F9	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔
F8	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔

- mounting elements for aluminium doors fastened with rivet nuts*
- mounting elements for PVC doors fastened with “turbo” screws*

Straight-through mounting method		50 cm	80 cm	100 cm	120 cm	150 cm	170 cm
F1 F4 F6 F9	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔
F8	1-sided	✔	✔	✔	✔	✔	✔
	2-sided	✔	✔	✔	✔	✔	✔
	electro-button	✔	✔	✔	✔	✔	✔

- mounting elements with Termo function*

* ask for price.

Available colours:

F1 Silver

F4 Old Gold

F6 Inox

F8 Black

F9 Titanium

Length:
50, 80, 100, 120, 150, 170 cm

Mounting post spacing:

Length (cm)	50	80	100	120	150	170
Spacing (cm)	30	50	50	80	99,8	99,8

Finish:
Ground

Dedicated to:
External and staircase doors

Product:
Made in Poland

Additional information:

1. Installation spacing depends on pull handle dimensions.
   The spacing shown in the drawing applies to 100 cm long pull handles.
   Other dimensions specified in the table above.
2. **F3 golden-coloured** door handles available on request in sets of **50 pcs.** without additional charge
3. Thermal insulation mounting – for a surcharge. Ask for price.

PULL HANDLE DEDICATED FITTINGS

SOLO – full range of pull handle fittings

Slim Solo Plus	F8	F1, F4, F6, F9
Basic safety class		
handle + short escutcheon plate	✔	✔
rosette	✔	✔

Spacing:
72, 92 mm

Long and narrow rosette for external doors, installed with narrow pushers.

F1 Silver F4 Old Gold F6 Inox F8 Black F9 Titanium

Gaja Solo Plus	F8	F1, F4, F6, F9
Basic safety class		
handle + short escutcheon plate	✔	✔
rosette	✔	✔

Spacing:
72, 92 mm

Long rosette for external doors, installed with pushers.

F1 Silver F4 Old Gold F6 Inox F8 Black F9 Titanium

NEW, IMPROVED VERSION

Ceres Solo Premium	F8	F1, F4, F6, F9
Basic safety class		
handle+rosette + WB rosette	✔	✔
rosette	✔	✔



F1Silver F4 Old Gold F6 Inox F8 Black F9 Titanium

Mars Solo Flex Premium	F8	F1, F4, F6, F9
Safety class 3 with cylinder protection		
handle+rosette + WB rosette	✔	✔
rosette	✔	✔



F1Silver F4 Old Gold F6 Inox F8 Black F9 Titanium

Diana Solo Flex Premium	F8	F1, F4, F6, F9
Safety class 3 with cylinder protection		
handle+rosette + WB rosette	✔	✔
rosette	✔	✔



F1Silver F4 Old Gold F6 Inox F8 Black F9 Titanium

PULL HANDLE DEDICATED FITTINGS

SOLO – full range of pull handle fittings

Solid Solo Flex	F8	F1, F4, F6, F9
handle + short escutcheon plate	✔	✔
rosette	✔	✔
short escutcheon plate for two-sided pull handles	✔	✔

Spacing:
72, 92 mm

F1 Silver | F4 Old Gold | F6 Inox | F8 Black | F9 Titanium

Diva Solo	F6
Safety class 3	
handle + short escutcheon plate	✔
rosette	✔

Spacing:
72, 92 mm

F6 Inox

Royal Solo Flex	F6
Safety class 3 with cylinder protection	
handle + long escutcheon plate	✔
rosette	✔

Spacing:
72, 92 mm

F6 Inox

TECHNICAL DRAWINGS

Pull handle dedicated fittings

Slim Solo Plus
handle + short escutcheon plate



Slim Solo
rosette



Solid Solo Flex
handle + short escutcheon plate



Gaja Solo Plus
handle + short escutcheon plate



Gaja Solo
rosette



Solid Solo Flex
short escutcheon plate
for two-sided pull handles



Ceres Solo Premium



Mars Solo Flex Premium



Diana Solo Flex Premium



Diva Solo
handle + short escutcheon plate



Royal Solo
handle + long escutcheon plate



OTHER PRODUCTS

photo: IDEA Gdańsk estate investment project; black Prestige Flex door handle; AXA©.

06

AXA is a Polish manufacturer. Since 1996, we have been manufacturing our products in Poland, believing in high-quality production with skilled workers, in our own production facilities.

Photo: AXA©.

Rigid chain

Why choose the AXA rigid chain?

- Rigid chain designed to prevent doors from opening fully; only for doors opening inwards
- Prevents sudden door opening and possible acts of intrusion
- Its small size allows for minimal door opening
- Perfect solution to ventilate your home
- Easy to install
- Concealed screws and bolts

Rigid chain
complete set – 2 pieces





Digital door peephole

AXA DDS 1

DDS 1 / DDS 2 model

- Operated with one button
- Trouble-free and fast installation
- Fits standard peephole openings (14 mm)
- Large 3.2” LCD screen presents clear, bright and colourful image
- Can replace your existing peephole without any additional work
- You can observe your surroundings behind the door without revealing your presence
- Can be installed in 38-110 mm thick doors
- Operates for 10-20 seconds after start-up (settings) DDS 2 (DDS: 1-10 sec.)
- Power supply: 4 AAA batteries

AXA DDS 2

DDS 2 model

- Up to 50 images can be recorded from the camera mounted in the peephole
- Date- and time-stamp in photos
- Automatically takes a picture of persons ringing the doorbell
- Up to 8GB memory card can be added
- Built-in ringtones

Product colours presented in the catalogue may slightly differ from the final product colours.

Door peepholes

Door peepholes	Dimension A mm	Dimension B mm
Ekono	35-60	14
Premium black	35-60	14
Premium Inox	35-55	14

Ekono

Premium Black

Premium Inox



Glazing frames

Decorative frames for glazing in fitting colour versions

Option to design a frame of any size and shape* to highlight the door glazing appearance.

*Minimum quantities to be arranged with the sales department.



Master Key system

Mechanical access control to facilities and rooms

Group keys	Room name	Entrance	Secretary's office	Management	Trade Department	Technical Department
	Director	✔	✔	✔	✔	✔
	Trade Department Manager	✔			✔	
	Technical Department Manager	✔				✔
	Assistant	✔	✔			
	Coding	001	002	003	004	005
	Door marking	20	21	22	23	24
	Colour	1	1	1	1	1
	Enclosure / keys	1 / 1	1 / 1	1 / 1	1 / 1	1 / 1
	Cylinder type	1400	1400	1400	1400	1400
	Length A / B	30 / 40	30 / 40	30 / 40	30 / 40	30 / 40

Master Key system advantages include:

- mechanical access control to facilities and rooms;
- ensuring safety in emergency situations requiring rapid access to premises (e.g. in the event of fire);
- convenience – each person uses only one key;
- ease and full control in administering the keys;
- flexibility in creating any system structure.



This particular Master Key system solution example includes **4 keys.**

Unless the facility were equipped with the system, **11 keys** would be necessary to ensure required traffic.

Door fenders

DESIGNER:
Marek Czyż

DOBRY WZÓR
*GOOD PATTERN

Heavy door AXA fenders	F8	F1, F4, F6, F9
MC-35 fender	✔	✔
MC-50 fender	✔	✔
MC-65 fender	✔	✔

Stainless-steel door fenders	F1, F4, F6, F9
art. no. 6900-01	✔
art. no. 6900-02	✔
art. no. 6900-03	✔
art. no. 6900-04	✔
art. no. 6900-05	✔
art. no. 6900-06	✔
art. no. 6900-07	✔



MC-65 / F9 Titanium



MC-50 / F8 Black

MC-35 / F1 Silver

- Dedicated to heavy external and internal doors.
- Additional modules facilitate height adjustment to the bottom door edge – 15 and 30 mm.
- Solid body.
- Available in colour versions: F1 Silver, F4 Old Gold, F6 Inox, F8 Black, F9 Titanium.





Door fender with 15 mm module



Door fender with 30 mm module



art. no. 6900-01



art. no. 6900-02

art. no. 6900-03

art. no. 6900-04

art. no. 6900-05

art. no. 6900-06

art. no. 6900-07

Hinge guards

Hinge guards	F8	F1, F3, F4, F6, F9, Chromium
	✔	✔

F1 Silver | F3 Golden | F4 Old Gold | F6 Inox | F8 Black | F9 Titanium

- Hinge guards are made of aluminium.
- Anodised – available in six colour variants: F1 Silver, F3 Golden, F4 Old Gold, F6 Inox, F8 Black, F9 Titanium. Additionally available with chromium-plated finish.
- Diameter: 20 mm.

* package contains 12 pieces (and multiples).

NUKI

Nuki Smart Lock
– electronic lock

Powered by
AXA HOME SECURITY
Where security meets technology



What is Nuki?

Nuki transforms your door into a smart access system, and your smartphone into a smart key.

Don't worry – with Nuki you can still open your door with a regular key if you leave your smartphone behind!

NUKI SMART LOCK 2.0

Nuki Smart Lock is a smart retrofit solution for door locks allowing you to control access with your smartphone.

NUKI FOB

Attach a small Bluetooth device to your key fob to lock and unlock your door without using your smartphone.

NUKI BRIDGE

Nuki Bridge takes your Nuki Smart Lock on-line, so you can manage and control access remotely in the Nuki app – anytime, anywhere.

NUKI KEYPAD

The Nuki Keypad allows you to conveniently open your door with a pass code, allowing you to enjoy everyday life without the need for keys.

Order a starter package

COMBO 2.0 | SMART LOCK 2.0 | BRIDGE | FOB | KEYPAD

Are you interested in beneficial conditions for purchasing a starter package and receiving free marketing support?

Contact your sales representative (see back cover) or the sales department at 32 6100101.

works with alexa
works with the Google Assistant
Works with Apple HomeKit
ring
airbnb

Special offer

Buy the Nuki Smart Lock 2.0 with a Royal Flex F8 door handle – pay 15% less for the handle.*

-15%*

Buy the NUKI COMBO 2.0 with a Royal Flex F8 door handle – pay 20% less for the handle.*

-20%*

Royal Flex F8 Black handle+handle

SPECIAL OFFER

* for AXA clients with applicable discounts – price reductions are cascaded.

Lock cylinders

Set includes:
two-sided cylinder + cylinder with knob,
5 keys, security card (class C),
2 mounting screws

We offer the following lock cylinder sets:

Size	Class B	ABHIII W235
1484 26/35 + 1481 26/35	✔	✔
1484 26/40 + 1481 26/40	✔	✔
1484 26/45 + 1481 26/45	✔	✔
1484 26/50 + 1481 26/50	✔	✔
1484 26/55 + 1481 26/55	✔	✔

Size	Class B	Class C
1405 30/30 + 1400 30/30	✔	✔
1405 30/35 + 1400 30/35	✔	✔
1405 30/40 + 1400 30/40	✔	✔
1405 30/45 + 1400 30/45	✔	✔
1405 30/50 + 1400 30/50	✔	✔
1405 30/55 + 1400 30/55	✔	✔
1405 30/60 + 1400 30/60	✔	✔
1405 30/65 + 1400 30/65	✔	✔
1404 30/70 + 1400 30/70 *	✔	✔
1404 30/75 + 1400 30/75 *	✔	✔
1405 35/35 + 1400 35/35	✔	✔
1405 35/40 + 1400 35/40	✔	✔
1405 35/45 + 1400 35/45	✔	✔
1405 35/50 + 1400 35/50	✔	✔
1405 35/55 + 1400 35/55	✔	✔
1405 35/60 + 1400 35/60	✔	✔
1405 35/65 + 1400 35/65	✔	✔
1404 35/70 + 1400 35/70 *	✔	✔
1405 35/75 + 1400 35/75 *	✔	✔
1405 40/40 + 1400 40/40	✔	✔
1405 40/45 + 1400 40/45	✔	✔
1405 40/50 + 1400 40/50	✔	✔
1405 40/55 + 1400 40/55	✔	✔
1405 40/60 + 1400 40/60	✔	✔
1405 40/65 + 1400 40/65	✔	✔
1405 40/70 + 1400 40/70 *	✔	✔
1406 40/75 + 1400 40/75 *	✔	✔
1405 45/45 + 1400 45/45	✔	✔
1405 45/50 + 1400 45/50	✔	✔

* Delivery date provided on request.

F1
Silver

F3
Golden

F4
Old Gold

F6
Inox

F8
Black**

F9
Titanium

Size	Class B	Class C
1405 45/55 + 1400 45/55	✔	✔
1405 45/60 + 1400 45/60	✔	✔
1405 45/65 + 1400 45/65	✔	✔
1404 45/70 + 1400 45/70*	✔	✔
1405 45/75 + 1400 45/75*	✔	✔
1405 50/50 + 1400 50/50	✔	✔
1405 50/55 + 1400 50/55	✔	✔
1405 50/60 + 1400 50/60	✔	✔
1404 50/65 + 1400 50/65	✔	✔
1404 50/70 + 1400 50/70 *	✔	✔
1405 50/75 + 1400 50/75 *	✔	✔
1405 55/55 + 1400 55/55	✔	✔
1405 55/60 + 1400 55/60	✔	✔
1403 55/65 + 1400 55/65	✔	✔
1404 55/70 + 1400 55/70 *	✔	✔
1405 55/75 + 1400 55/75 *	✔	✔
1405 60/60 + 1400 60/60 *	✔	✔
1404 60/65 + 1400 60/65 *	✔	✔

Appearance of cylinders mounted in Prestige rosettes:

F1
Silver

F3
Golden

F4
Old Gold

F6
Inox

**

F8
Black**

F9
Titanium

** Cylinders with knobs in F8 black colour version – for a surcharge. Ask for price. Not subject to discount.

Single cylinders

Cylinder colour: nickel, brass.

Two-sided cylinder
Set includes: two-sided cylinder, 5 keys, security card (class C), 2 mounting screws

Single cylinder with knob
Set includes: single cylinder with knob, 5 keys, security card (class C), 2 mounting screws.
Knobs available in colour versions: F1, F3, F4, F6, F8**, F9

Size	Single two-sided cylinders		Single cylinders with knob	
	Class B	ABHIII W235	Class B	ABHIII W235
26/26	✔	✔	✔	✔
26/30	✔	✔	✔	✔
26/35	✔	✔	✔	✔
26/40	✔	✔	✔	✔
26/45	✔	✔	✔	✔
26/50	✔	✔	✔	✔
26/55	✔	✔	✔	✔

Size	Single two-sided cylinders		Single cylinders with knob	
	Class B	Class C	Class B	Class C
30/30	✔	✔	✔	✔
30/35	✔	✔	✔	✔
30/40	✔	✔	✔	✔
30/45	✔	✔	✔	✔
30/50	✔	✔	✔	✔
30/55	✔	✔	✔	✔
30/60	✔	✔	✔	✔
30/65	✔	✔	✔	✔
30/70*	✔	✔	✔	✔
30/75*	✔	✔	✔	✔
30/80*	✔	✔		
35/35	✔	✔	✔	✔
35/40	✔	✔	✔	✔
35/45	✔	✔	✔	✔
35/50	✔	✔	✔	✔
35/55	✔	✔	✔	✔
35/60	✔	✔	✔	✔
35/65	✔	✔	✔	✔
35/70*	✔	✔	✔	✔
35/75*	✔	✔	✔	✔
35/80*	✔	✔		
35/85*	✔	✔		
40/40	✔	✔	✔	✔
40/45	✔	✔	✔	✔
40/50	✔	✔	✔	✔
40/55	✔	✔	✔	✔
40/60	✔	✔	✔	✔
40/65	✔	✔	✔	✔
40/70*	✔	✔	✔	✔
40/75*	✔	✔	✔	✔
40/80*	✔	✔		
40/90*	✔	✔		
45/45	✔	✔	✔	✔
45/50	✔	✔	✔	✔
45/55	✔	✔	✔	✔
45/60	✔	✔	✔	✔
45/65	✔	✔	✔	✔
45/70*	✔	✔	✔	✔
45/75*	✔	✔	✔	✔
50/50	✔	✔	✔	✔
50/55	✔	✔	✔	✔
50/60	✔	✔	✔	✔
50/65	✔	✔	✔	✔
50/70*	✔	✔	✔	✔
50/75*	✔	✔	✔	✔
55/55	✔	✔	✔	✔
55/60	✔	✔	✔	✔
55/65	✔	✔	✔	✔
55/70*	✔	✔	✔	✔
55/75*	✔	✔	✔	✔
60/60*	✔	✔	✔	✔
60/65*	✔	✔	✔	✔
65/70*	✔	✔	✔	✔

* Delivery date provided on request.

** Cylinders with knobs in F8 black colour version – for a surcharge. Ask for price. Not subject to discount.

Door closers

photo: model 2400.

	AS 05 **7505-03-49**	AS 06 **7506-24-49**	AS 07 **7507-24-49**	**1110T**	**1130 BT**	**1130 B**	**2400T**
CE mark	●	●	●	●	●	●	●
constant closing force as per EN	3	3	3	3	3	3	3
closing force	2-4	2-4	2-4	3	2-4	2-6*	2-4
maximum door leaf width	950 mm	1100 mm	1100 mm	950 mm	1100 mm	1400 mm	1100 mm
maximum door leaf weight	60 kg	80 kg	80 kg	60 kg	80 kg	120 kg	80 kg
maximum opening angle	180°	105°	180°	180°	180°	180°	120°
closing speed adjustment	●	●	●	●	●	●	●
end-closing pressure adjustment	●	●	●	●	●	●	●
opening damping adjustment	○	○	●	○	●	●	●
can be used with fire doors	○	●	●	○	●	●	
interlock (not available in fire doors)	○	○	○	○	○	○	○
temperature compensation		●	●	●	●	●	●
with arm	●	●	●			●	
with rail				●	●		
parallel or frame mounting kit		●	●			●	
	15.000	50.000	50.000	50.000	50.000	50.000	50.000
colour	Silver	Silver	Silver	Silver	Silver	Silver	Silver
warranty	10 years	10 years	10 years	10 years	10 years	10 years	10 years
classification	483113	382-4113	482-4113	483113	482-4113	482-6113	382-4113

Legend: ● available ○ option

Door closers are intelligent, integrated solutions that combine safety, convenience, minimalist design and superior quality.

The product range facilitates unrestricted designing of doors as well as escape, smoke removal and fire protection systems.

AS 05

AS 06

AS 07

1130 B

1110 T

1130 BT

AXA Remote 2.0

Remotely controlled window tilt lock

- A complete system comprises: remotely controlled window tilt lock, a remote control to operate the lock and set of power supply batteries.
- Remote 2.0 is suitable for outward and inward opening windows as well as for all roof windows. Installation kits customised to window types.

Indicate your window type when ordering.

AXA Remote 2.0
complete system
230 V power supply system

For other colour versions than white, contact our commercial department.



installation time up to 15 min.

wireless control

room ventilation option

protection against children's tampering

automatic lock

fasteners included

Surface-mounted Anti-panic System

CISA surface-mounted anti-panic systems are an ideal solution for high traffic intensity buildings such as: cinemas, theatres, office buildings, halls and sports facilities: numerous different public utility buildings that require security systems to protect all their users.

The technical solutions and materials adopted guarantee compliance with applicable legal requirements. Thanks to this, CISA has been rewarded with marks and certificates including:

- CE mark as per Directive 89/106/EEC, granted by ICIM.
- Voluntary product certification by the independent certification body (ICIM) in conformity with the same UNI EN 1125 standard for the FAST Push anti-panic handle and UNI EN 179 for the FAST Push anti-panic bar.

Fast Push

- Painted aluminium enclosure
- Chrome-plated aluminium alloy bolt
- Surprisingly easy and fast installation
- Fully modular system
- Flexible connecting cable for coupling the secondary lock with the common entrance mechanism using quick-release couplings

SINGLE-POINT ANTI-PANIC HANDLE



Standard set:
- Catch, art. no. 1 07072 20

On request:
- Catch, art. no. 1 07072 21

External fittings:
- art. no. 1 07078 38; 1 07078 68/69

MODULAR VERSION

Three-point handle with lateral bolt deactivation option



Standard set:
- Catch, art. no. 1 07072 20

On request:
- Pair of vertical bolts, art. no. 1 07063 61
- Pair of lateral bolts, art. no. 1 07063 51
- Catch, art. no. 1 07072 21

External fittings:
- art. no. 1 07078 38; 1 07078 68/69

MODULAR VERSION WITHOUT LATERAL BOLT

To be used with additional bolts



On request:
- Pair of vertical bolts, art. no. 1 07063 61
- Pair of lateral bolts, art. no. 1 07063 51
- Catch, art. no. 1 07072 21

External fittings:
- art. no. 1 07078 38; 1 07078 68/69

Name	Type	No. of pieces	Size	L – Length [mm]	Weight [kg]
Single-point handle	1 59001-10	1	10	length 900 or 1200 mm, depending on the bar selected	2,1
Three-point handle with lateral bolt deactivation option	1 59011-10	1	10		2,2
Modular version without lateral bolt, to be used with additional bolts	1 59016-10	1	10		2

Fast Touch

- Adjustable additional locks fastened with quick-release couplings
- Wide range of mounting accessories
- Interchangeability of accessories from both versions – Touch and Push
- Mounting plates for additional locks

MODULAR VERSION

Three-point handle with lateral bolt deactivation option



Standard set:
- Catch, art. no. 1 07072 20

On request:
- Pair of vertical bolts, art. no. 1 07063 61
- Pair of lateral bolts, art. no. 1 07063 51
- Catch, art. no. 1 07072 21

External fittings:
- art. no. 1 07078 38; 1 07078 68/69

MODULAR VERSION WITHOUT LATERAL BOLT

To be used with additional bolts



On request:
- Pair of vertical bolts, art. no. 1 07063 61
- Pair of lateral bolts, art. no. 1 07063 51
- Catch, art. no. 1 07072 21

External fittings:
- art. no. 1 07078 38; 1 07078 68/69

Name	Type	No. of pieces	Size	L – Length [mm]	Weight [kg]
Three-point handle with lateral bolt deactivation option	1 59811-11	1	11	840	3,4
	1 59811-10	1	10	1200	3
Modular version without lateral bolt, to be used with bolts	1 59816-11	1	11	840	3
	1 59816-10	1	10	1200	3,5

Surface-mounted Anti-panic System



Standard set:
- Catches, art. no. 1 07072 20
- 2 flexible steel cables
- 2 cable guards
- 2 connecting plates
- 2 cable routing hooks

On request:
- Catch, art. no. 1 07072 21

Customised to product types:
59011, 59016, 59811, 59816

Standard set:
- Painted aluminium enclosure
- Chrome-plated bolt made of aluminium alloy

Finish:
- Black – finish 44

Standard set:
- Upper catch, art. no. 1 07072 20
- Lower catch, art. no. 1 07072 27
- 2 flexible steel cables
- 2 cable guards
- 2 connecting plates
- 2 cable routing hooks

On request:
- Catch, art. no. 1 07072 21

Customised to product types:
59011, 59016, 59811, 59816

Name	Type
Pair of lateral bolts	1 07063-51
Pair of vertical bolts	1 07063-61

Bar

Steel horizontal bar (red)



Finish on request:
- Yellow – finish 42
- Green – finish 43
- Black – finish 44
- White – finish 45
- Grey – finish 97

Name	Type	L – length [mm]
Steel horizontal bar (red)	1 07007-13	900
Steel horizontal bar (red)	1 07007-14	1200

External fittings

1 07078 38
External fitting with cylinder above the grip.



Technical features:
- Black handle with cylinder.
- Emergency opening with a key activating the handle. Removing the key deactivates the handle.

1 07078 68
Extended handle for convenience.



- Safe handle shape.
- High use frequency (up to 200.000 cycles).
- Handle positioning pin.
- Easy integration into Master Key system

1 07078 69
Movable knob facilitates limited-space installation.



Optional finishes:
- Stainless steel – finish B9
- White – finish 45
- Grey – finish 97

Additional range:

Name	Type
Handle with reversed cylinder	1 07078 38
Handle	1 07078 68
Knob	1 07078 69

Catch

Catch for wooden and PVC doors.





Adjustment:
- Can be mounted on profiles with overlapping segments – range from 14 to 24 mm

Standard equipment:
- Mounting screws

Finish:
- Standard: Black

Finish:
- White – finish 45
- Grey – finish 97

Name	Type	Length
Catch	1 07072 33 0	0,080



photo: Royal Flex handle+handle set, black; AXA©.

07

ADDITIONAL INFORMATION

Technical drawings

About us

General terms and conditions of sales for contracts concluded with entrepreneurs

Door fitting warranty

About us

It is said that a man should build a house, plant a tree and beget a son. It seems, however, that especially nowadays, this is only the beginning of the responsibilities and privileges that fall on the head of the family. Protecting material possessions and ensuring safety of the loved ones have become a priority.

Over the years, we gather and collect souvenirs, family treasures and trinkets belonging to our ancestors; we like to surround ourselves with nice, often very expensive, items. But what remains the same and constantly invaluable is the family that lives in this house or flat. It makes a home more than just a roof over one's head, four corners and a piece of floor. We want to protect both the economic and intangible plane, with as little time and effort as possible.

Peace of mind and security are among the greatest privileges and luxuries a person can have today. For years, AXA Stenman has been meeting these expectations, by offering innovative, state-of-the-art and, above all, effective solutions. The products undergo numerous tests, meet the European standard requirements and, at the same time, feature modern design in line with current trends.

FLEX, an AXA PATENTED SOLUTION, is not only a spring-loaded lock cylinder protection system that automatically adjusts to the cylinder length, but also a steel safeguard preventing the cylinder against compromising by drilling or being ripped out of the structure. Additionally, the time savings ensured by FLEX, due to its quick and easy installation, no spare parts necessary and no replacement of existing cylinders, cannot be overestimated.

Our TECHNOLOGICALLY MOST ADVANCED products, i.e. the PREMIUM line, are designed for heavy traffic intensity areas. Due to the solutions applied, they are a perfect product for the construction industry and architects. These fittings come with a significantly thicker and stronger spring located in the handle, are suitable for both left- and right-sided doors up to 110 m thick, and are equipped with the above-mentioned FLEX system.

We usually start appreciating security when we return to a house devastated by burglars. Numerous belongings are irretrievably lost, other cannot be bought back due to their sentimental value.

photo: AXA©.

The mere thought that a member of the household might be home during a burglary makes us break out in a cold sweat.

Therefore, ask yourself today:

> Can I afford NOT to have a door with AXA fittings?

With AXA products, you purchase quality, comfort and security.
AXA Home Security – continuously since 1902.

AXA Stenman

is the world leader in the field of construction fittings and bicycle safeguards. The Polish branch headquarters are located on the border of Silesia and Lesser Poland, in the picturesque region of Jura Krakowsko-Częstochowska. The company boasts a long tradition going back to 1902; its headquarters are located in Veenendaal, the Netherlands, with manufacturing facilities in the Netherlands, France and Poland. Dynamic growth and relentless drive led Allegion, plc, the leading global provider of safety products and solutions, to acquire AXA Stenman in 2015.

AXA Stenman products are sold throughout Europe to retail distributors, door and window manufacturers and property developers. Based on our Clients' needs and experiences, we constantly develop solutions to offer a highest-quality AXA Stenman's product range.

Over 20 years of experience of AXA Stenman on the Polish market, puts us in the position of a leader in the field of external door fittings. Such factors as innovation, flexibility, reliability and highest quality of products manufactured by AXA result in the fact that the brand is perceived as powerful and reliable.

AXA's leading position in the anti-burglary escutcheon plate segment combined with a wide supplementary offering (cylinders, peepholes, hinge guards, etc.) make AXA not only a manufacturer of door handles, but also a supplier who recognises the market needs, caters for customers' tastes and presents a unique range of fitting sets for external doors, in one of 6 basic colour versions.

Joining the Allegion brand network has also empowered the company to complement its assortment with a range of products popular in the construction investment project field, e.g. door closers and anti-panic bars.

AXA is not only synonymous to safety and protection against burglary. It also stands for our product use safety. An extremely very durable (anodised) coating of our products protecting fittings against weather conditions, AXA product users enjoy numerous years of trouble-free door handle operation.



photo: AXA©.

GENERAL TERMS AND CONDITIONS OF SALES

for contracts concluded with entrepreneurs

Article I. General information

These general sales terms and conditions shall apply to contracts for the purchase and sales of products and goods (hereinafter referred to as Goods) concluded with entrepreneurs by AXA Stenman Roland Sp. z o.o., based in Siewierz, ul. Warszawska 89, holding the NIP (Tax Identification Number): 649-11-10-585, and REGON (Business Registration Number): 272951960, entered into KRS (National Court Register) under no. 0000160145; company's documentation is kept by the District Court for Częstochowa, 17th Commercial Division of the National Court Register; with share capital of PLN 1,372,800.00 (hereinafter referred to as the Seller), acting as the Seller. Introduction of amendments or additions to these terms and conditions requires written consent granted by the Buyer and Seller. In case the Buyer has their own contract template, the Seller declares that they do not consent to its application, and any sales and purchase contract shall be concluded only under terms and conditions specified herein.

Article II. Offer

1. The offer submitted by the Seller to the Buyer shall not be binding, until the parties have agreed on all material elements of the order, i.e. the Goods, their quantity, price and terms of delivery, and until the Buyer and the Seller have signed the contract.
2. Data included in catalogues, illustrations, drawings, standard sheets, lists of sizes and weights, notices, advertisements, price lists and other information addressed to the general public or to individual persons, etc., shall, in the case of doubt, be regarded not as an offer but as an invitation to conclude a contract.

Article III. Contract

1. The contract concluded in writing shall be effective at the moment the Buyer receives (after prior submission of an order) a written confirmation of Seller's acceptance of the order – specifying the price, quantity of Goods, date of order execution, dates of payment and other provisions relevant to contract performance, unless the parties agree otherwise. The Seller's written order acceptance confirmation shall also be treated as an invoice issued by the Seller, unless the Seller has previously confirmed the order acceptance in writing.
2. These general terms and conditions of sales are available on the Seller's website at: axahomesecurity.pl, of which the Seller shall inform the Buyer in a written order confirmation.

Article IV. Price

1. The prices included in the offer or order confirmation are net prices (without VAT) and are based on prices valid at the time of offer submission, respectively order confirmation submission.
2. If, after the signing the contract, at least one factor affecting the price increases – even if this occurs due to foreseeable circumstances – the Seller is entitled to increase the agreed price accordingly.
3. The prices specified by the Seller are based on the prices of goods and deliveries established directly with the manufacturer in Poland. The Seller is entitled to charge:
   a. additional fee amounting to at least PLN 50 for administrative costs in the case of orders whose value does not exceed the amount of PLN 2000 net (VAT excluded);
   b. packaging charge;
   c. shipping costs which include, in particular, costs of measuring or weighing, packing; costs of insurance for the carriage duration and costs of goods shipment shall be charged separately.
4. The prices quoted do not include VAT and other costs charged separately for packing, shipping and administration.
5. Only and exclusively if agreed by the Parties, the Seller undertakes to take back the packaging previously paid for by the Buyer and included in a separate invoice issued by the Seller, as well as to return the packaging cost incurred by the Buyer in the amount calculated on the invoice issued by the Seller, provided that the Seller receives the packaging in question back as a prepaid shipment and in good condition within 30 days from the invoice date. Other packaging, not expressly agreed to be returned by the Parties to the contract, are not returnable.

Article V. Delivery

1. Delivery of the Goods shall take place as per the following rules:
   a. delivery of the ordered Goods shall take place directly from the manufacturer, in line with Incoterms confirmed by the Seller on order acceptance;
   b. Parties may deliver the agreed orders in batches. In this case, the Seller reserves the right to invoice partial deliveries. Simultaneously, the Seller reserves the right to deliver and invoice an order in a quantity that exceeds or falls short by 5%.
2. In the event of force majeure, the Seller shall have the right to suspend the contract performance or terminate the contract fully or in part, whereby the Buyer shall have no right to claim compensation.
3. If the Buyer is in default in payment or fulfilment of other obligations resulting from the contract, the Seller may designate an appropriate additional period for the Buyer to perform the contract, subject to the fact that, in the event of ineffective expiry of the designated deadline, they shall be entitled to withdraw from the contract. They can also demand the fulfilment of the obligation and compensation for damage resulting from the delay, without setting an additional deadline or after its ineffective expiry.

Article VI. Delivery time

1. The delivery time shall be counted from the day of the Seller's written confirmation of order acceptance. If the Buyer does not provide all the data necessary for contract performance within this period, the delivery time shall start after this data is supplied.
2. Except for gross negligence on the part of the Seller, exceeding the delivery time does not give the Buyer any right to withdraw from the contract in whole or in part, or to demand compensation for damages or to fail to meet they own obligations that may arise from the contract concluded with the Seller. Exceeding the delivery date, regardless of the reasons, shall not entitle the Buyer to substitutive performance or to order Seller's obligation performance at their expense.
3. The Goods shall be deemed delivered when handed over to a carrier, after notifying the Buyer thereof.

Article VII. Payment

1. Payments shall be made within 1 month of the invoice date, unless the Seller presents the Buyer a different payment date, without deductions or other settlements.
2. If the buyer fails to make a payment within the agreed period, the seller shall be entitled, without informing the Buyer of the default, to charge statutory interest from the date on which the payment period expires.
3. Without prejudice to provisions of Article V, paragraph 1 and Article VI, paragraph 3, the ownership rights to the Goods pass onto the Buyer, subject to payment of the price and additional costs specified in these terms and conditions; thereby the Seller reserves the ownership of the Goods for their own benefit until the price and other fees are paid up. The Buyer is obliged to cooperate with the Seller when the latter collects the Goods from the Buyer – in particular, to enable the Seller to promptly collect the Goods. In the event of the Buyer's delay in paying the price, the Seller, at their discretion, may either benefit from the reservation of ownership and demand release of the Goods or demand payment of the price and other fees/costs.

Article VIII. Complaints

Complaints relating to shortages, irregularities in delivery performance and visible defects of the Goods must be lodged by the Buyer within 14 days of receipt of the Goods. If this period is exceeded, any possible claim against the Seller shall not be accepted.

Article IX. Warranty

1. Goods with hidden defects, in relation to which the Buyer proves that they are a direct consequence of improper material use or incorrect workmanship, shall be replaced or repaired by the Seller at their own discretion, subject to the restrictions referred to in the following paragraphs.
2. The warranty referred to in paragraph 1 of this Article shall limited to the defects mentioned therein which are detected within one year of delivery, pursuant to Article VI, paragraph 3.
3. Complaints based on the warranty must be submitted to the Seller in writing without delay, but always within 14 days of the defect being detected, as defined in paragraph 1 of this Article. If this period is exceeded, any possible warranty claim against the Seller shall not be accepted.
4. Goods in respect of which the buyer has invoked the warranty rights shall be sent to the Seller as a prepaid consignment in agreement with the Seller. If the Seller delivers new goods to fulfil their warranty obligations, the initial defective goods delivered by the Buyer shall accordingly become the Seller's property. Defects resulting from incorrect transport, storage, assembly, use, faulty maintenance or modifications introduced without Seller's written consent shall not be subject to the warranty.

photo: packing, AXA Stenman plant in Poland, Zawiercie.

GENERAL TERMS AND CONDITIONS OF SALES CONTINUED

In case parts other than those supplied by the Seller are used, any claims in respect of the warranty shall not be accepted.
The detailed conditions under which the warranty is granted are specified in the document titled “Door fitting warranty”. In the case of any doubt as to the application these terms and conditions and the “Door fitting warranty” document, the provisions of the “Door fitting warranty” are binding, taking precedence over these terms and conditions.

Article X. Liability

The Seller’s liability arising from the content of the contract is limited to ensuring compliance with the warranty obligations described in Article IX of these terms and conditions. Except for gross negligence on the part of the Seller and except for the provision contained in paragraph 1, the Seller’s entire liability for, inter alia, damages to the Buyer, other indirect damages such as installation costs, transport, travel, injury to persons or damage to goods, loss of money or other movable property and damages resulting from liability towards third parties is excluded.
In view of the above, the Seller shall not be liable for: infringement of patent rights, licences or other rights of third parties as a result of the use of data provided by or on behalf of the Buyer. The Buyer shall indemnify the Seller from liability for any claims issued by third parties, when, in accordance with these terms and conditions, the Seller’s liability for damages arisen is excluded, in particular with regard to claims that may arise from the Buyer’s action/omission or from Buyer’s violation of the rights referred to in paragraph 3.
The risk of accidental loss or damage to the goods shall pass onto the Buyer upon handing over the goods to the Buyer, courier or carrier. In particular, the Seller shall not be liable for damage resulting from incorrect use or installation of the Goods by the Buyer or third parties.

Article XI. Models, tools, stamps and dies

Models, tools, stamps and dies specially made for the purpose of an order remain the Seller’s property, even if the Buyer has borne the costs thereof. If, within a period of two years with respect to a specific order for specific Goods, the Seller has not received or accepted further orders, they shall have the right to destroy specific models, tools, stamps and dies or use them for other purposes, without informing the Buyer, subject to copyrights.

Article XII. Governing law and disputes

Polish law shall apply to all contracts to which these terms and conditions apply in whole or in part.
With regard to disputes that may arise in connection with the contract, to which these terms and conditions apply in whole or in part, which due to their nature or according to the amount involved in the claim require settlement by a court, only the court competent for the Seller’s registered office shall be authorised to issue decisions in their case.
In matters not regulated by these terms and conditions and the contract, the provisions of the Civil Code shall apply accordingly.

Acknowledged:

19 February 2016.

On behalf of the Board of Directors:

DOOR FITTING WARRANTY for entrepreneurs

AXA Stenman Poland Sp. z o.o., as the manufacturer, warrants, under the conditions set out below, durability of the fittings when operated correctly, including the manufacturer’s legal liability for material defects. This guarantee is valid on the Republic of Poland territory and applies to functioning of door fittings, and covers any defects caused by their faulty design or material defects and, furthermore, applies to:

- functioning of fittings;
- durability of the anodised surfaces.

Warranty exclusions:

All replacement parts such as screws, fasteners, bearings etc. are not covered by the warranty. In addition, the manufacturer is not liable for damage resulting from:

- incorrect handling, operation contrary to its intended use or users’ carelessness;
- natural wear and tear of products (e.g. bearings);
- incorrect or careless product handling, defects caused by inadequate protection of the product during construction works;
- non-conformance to the installation instructions or lack of due care in its installation performance, modifications and repairs by the user or third parties;
- use of unsuitable chemical (cleaning) or physical agents (e.g. soiling with mortar, plaster or foam; cleaning with coarse cleaning agents or aggressive chemicals);
- removing the information sticker on the inside of a handle;
- operation of defective or incorrectly installed door elements and/or parts of fittings (e.g. locks, hinges, door closers).

Warranty terms and conditions:

Within the scope of this warranty, AXA Stenman Poland shall undertake to replace or repair a defective door handle exclusively free of charge for the beneficiary, within the warranty period. The decision as to how to deal with the complaint is at the discretion of AXA Stenman Poland. Replacement or repair of the goods shall take place within 14 days from the date of delivery of the Goods to AXA Stenman Poland. The costs of delivering the goods being replaced or repaired to the beneficiary of this warranty shall be borne by AXA Stenman Poland. Claims under this warranty shall only be considered upon presentation of the product.
In case defective goods are replaced with new ones, the beneficiary of this warranty shall be obliged to return the defective product upon receipt of the defect-free goods.
In the event of a claim, the beneficiary of this warranty shall provide a detailed description of the failure or damage, as well as their warranty-related entitlements. AXA Stenman Poland may ask the beneficiary of this warranty for more information on the product before deciding whether the claim is justified.

Warranty Period:

The warranty period covering the functioning of the hardware is:

- 10 years for handles and escutcheons in safety class 3 PREMIUM and FLEX,
- 5 years on handles and escutcheons in safety class 3 STANDARD
- 2 years for other aluminum fittings and begins from the date of purchase.

The warranty period starts from the date of purchase.
The warranty period covering the durability of the anodized surface is 5 years. Any complaints should be addressed to the seller by delivering the defective product. The beneficiary of this guarantee must prove that he or she is entitled to the guarantee and that the guarantee has not expired (e.g. by presenting the purchase document). (e.g. by presenting the purchase document). The claimed item, must be delivered to the seller’s premises.

Applicable law:

This warranty is governed by the laws of Poland, and any disputes arising here from shall be subject to the jurisdiction of of Polish courts. This warranty does not exclude, limit or suspend the purchaser’s rights resulting from non-compliance of the goods with the contract. This catalog does not constitute an offer within the meaning of the binding regulations.

This product catalogue does not constitute an offer within the meaning of the Civil Code or an assurance within the meaning of Art. 4 of the Act of 27.07.2002 on specific conditions of consumer sales. **AXA Stenman Poland Sp. z o.o. reserves the right to introduce (without notice) changes in technical parameters, equipment, prices, warranty conditions and product specifications.** The prices in the catalogue are given in PLN and are net prices. An applicable VAT should be added. The prices given are those suggested by the manufacturer and do not determine resale prices at individual distribution points. **The information contained herein is correct at the time of publication. All previous catalogues concerning the same product range are no longer valid.** For a detailed offer, visit also **www.axahomesecurity.pl.**

NOTE! Due to the printing technique employed, the presented product colour may differ from the original.

TECHNICAL DRAWINGS Door handles

Ceres
Handle+pusher



Ceres
Rosette



Fast Premium
Handle+pusher, spacing: 72 mm



Fast Premium
Handle+handle, spacing: 92 mm



Fast Premium
Handle+pusher, spacing: 92 mm



Fast Premium
Rosette



Fast Premium
Long rosette



Slim Plus
Handle+pusher, spacing: 72 mm



Slim Plus
Handle+handle, spacing: 92 mm



Slim Plus
Handle+pusher, spacing: 92 mm



Slim Plus
Rosette



Niagara Plus / Niagara
Handle+pusher, spacing: 72 mm



TECHNICAL DRAWINGS Door handles

Niagara Plus / Niagara
Handle+handle, spacing: 90 mm



Niagara Plus / Niagara
Handle+pusher, spacing: 90 mm



Niagara Plus / Niagara
Rosette



Niagara Plus / Niagara
Handle+handle, spacing: 92 mm



Niagara Plus / Niagara
Handle+pusher, spacing: 92 mm



Niagara Plus / Niagara
Long rosette



Haga++ / Haga
Rosette



Haga++ / Haga
Handle+pusher, spacing: 72 mm



Haga++ / Haga
Handle+handle, spacing: 90 mm



Haga++ / Haga
Long rosette



Haga++ / Haga
Handle+pusher, spacing: 90 mm



Haga++ / Haga
Handle+handle, spacing: 92 mm



Haga++ / Haga
Handle+pusher, spacing: 92 mm



TECHNICAL DRAWINGS Door handles

Manitoba Plus
Handle+pusher, spacing: 72 mm



Manitoba Plus
Handle+handle, spacing: 92 mm



Manitoba Plus
Handle+pusher, spacing: 92 mm



Manitoba Plus
Rosette



Diva
Handle+knob, spacing: 72 mm



Diva
Handle+handle, spacing: 92 mm



Diva
Handle+knob, spacing: 92 mm



Diva
Rosette



Diva Flex
Handle+knob, spacing: 72 mm



Diva Flex
Handle+handle, spacing: 92 mm



Diva Flex
Handle+knob, spacing: 92 mm



Diva Flex
Rosette



TECHNICAL DRAWINGS Door handles

Odin
Handle+knob, spacing: 72 mm



Odin
Handle+handle, spacing: 92 mm



Odin
Handle+knob, spacing: 92 mm



Odin
Rosette



Odin Flex
Handle+knob, spacing: 72 mm



Odin Flex
Handle+handle, spacing: 92 mm



Odin Flex
Rosette



Quebec
Handle+pusher, spacing: 72 mm



Quebec
Handle+handle, spacing: 92 mm



Quebec
Handle+pusher, spacing: 92 mm



Quebec
Rosette



TECHNICAL DRAWINGS Door handles

Quebec Flex
Handle+pusher, spacing: 72 mm



Quebec Flex
Handle+handle, spacing: 92 mm



Quebec Flex
Handle+pusher, spacing: 92 mm



Quebec Flex
Rosette



Prestige
Handle+knob, spacing: 72 mm



Prestige
Handle+handle, spacing: 92 mm



Prestige
Handle+knob, spacing: 92 mm



Prestige
Rosette



Prestige
Long rosette



Prestige Flex
Handle+knob, spacing: 72 mm



Prestige Flex
Knob+knob, spacing: 72 mm



Prestige Flex
Handle+handle, spacing: 90 mm



TECHNICAL DRAWINGS Door handles

Prestige Flex
Handle+knob, spacing: 90 mm



Prestige Flex
Handle+handle, spacing: 92 mm



Prestige Flex
Rosette



Prestige Flex
Long rosette



Prestige Flex
Handle+knob, spacing: 92 mm



Royal
Handle+pusher, spacing: 72 mm



Royal
Rosette



Royal
Handle+handle, spacing: 92 mm



Royal
Handle+pusher, spacing: 92 mm



Royal Flex
Rosette



Prestige Flex
Handle+knob, spacing: 72 mm

Prestige Flex
Knob+knob, spacing: 72 mm

Prestige Flex
Handle+handle, spacing: 90 mm

Royal Flex
Handle+pusher, spacing: 72 mm



Royal Flex
Handle+handle, spacing: 92 mm



Royal Flex
Handle+pusher, spacing: 92 mm



TECHNICAL DRAWINGS Door handles

Apollo Flex Premium
Handle+pusher, spacing: 72 mm



Apollo Flex Premium
Handle+handle, spacing: 92 mm



Apollo Flex Premium
Handle+pusher, spacing: 92 mm



Apollo Flex Premium
Rosette



Jupiter Flex Premium
Handle+pusher, spacing: 72 mm



Jupiter Flex Premium
Handle+handle, spacing: 92 mm



Jupiter Flex Premium
Handle+pusher, spacing: 92 mm



Jupiter Flex Premium
Rosette



Arrow Flex Premium
Handle+pusher, spacing: 72 mm



Arrow Flex Premium
Handle+handle, spacing: 92 mm



Arrow Flex Premium
Handle+pusher, spacing: 92 mm



Arrow Flex Premium
Rosette



TECHNICAL DRAWINGS Door handles

Solid Flex Premium
Handle+pusher, spacing: 72 mm



Solid Flex Premium
Handle+handle, spacing: 92 mm



Solid Flex Premium
Handle+pusher, spacing: 92 mm



Solid Flex Premium
Rosette



Diana Premium
Handle+pusher



Diana Premium
Rosette



Diana Flex Premium
Handle+pusher



Diana Flex Premium
Rosette



Mars Premium
Handle+pusher



Mars Premium
Rosette



Mars Flex Premium
Handle+pusher



Mars Flex Premium
Rosette



TECHNICAL DRAWINGS Door handles

Toronto Flex
Handle+pusher, spacing: 72 mm



Toronto Flex
Handle+handle, spacing: 92 mm



Toronto Flex
Handle+pusher, spacing: 92 mm



Toronto Flex
Rosette



Vermont Flex
Handle+handle, spacing: 92 mm



Vermont Flex
Rosette



TECHNICAL DRAWINGS Pull handles

Montreal – straight
50 cm



Montreal – straight
80 cm



Montreal – straight
120 cm



Montreal – straight
150 cm



Montreal – straight
170 cm



Montreal – skew
50 cm



Montreal – skew
80 cm



Montreal – skew
120 cm



Montreal – skew
150 cm



Montreal – skew
170 cm



Montreal – bent
80 cm



Montreal – bent
120 cm



TECHNICAL DRAWINGS

Pull handles

Montreal – bent
150 cm



Montreal – bent
170 cm



Amsterdam – straight
50 cm



Amsterdam – straight
80 cm



Amsterdam – straight
120 cm



Amsterdam – straight
150 cm



Amsterdam – straight
170 cm



Amsterdam – skew
50 cm



Amsterdam – skew
90 cm



Amsterdam – skew
120 cm



Amsterdam – skew
150 cm



Amsterdam – skew
170 cm





photo: AXA Stenman plant in Poland, Zawiercie; AXA©.

AXA
HOME/SECURITY

25 YEARS
1996-2021

photo: casting stations, AXA Stenman plant in Poland, Zawiercie; AXA©.



Regional representatives

Paweł Wersty
pawel.wersty@allegion.com
tel. 601 510 727

Trade Department:
zamowienia@allegion.com
tel. +48 326 100 101
+48 782 260 260



Dominik Mrówczyński
dominik.mrowczynski@allegion.com
tel. 601 356 593

Adam Maliszewski
adam.maliszewski@allegion.com
tel. 605 298 391

Visit us at: Facebook: @okuciadrzwi YouTube: AXA HomeSecurity PL

AXA Stenman Poland Sp. z o.o.
ul. Technologiczna 8
42-400 Zawiercie
tel. +48 32 6100 100
biuro@allegion.com
www.axahomesecurity.pl